

## Description

The Poll has proven to be one of The Radiator Centre's most cost effective and practical products.

The Poll range is very versatile - suitable for kitchens or bathrooms alike - and due to the unique square section frame all the models feature impressive outputs for their size. In addition, unlike standard towel rails some of the bars project further forward making it easier to accommodate more and thicker towels.

## **April 2014 - New Poll Range Introduced**

The Radiator Centre is pleased to introduce the Poll Horizontal to the range. Horizontal radiators have become increasingly popular in recent years and the Poll has been no exception. Running from 1000mm to 1400mm wide, they fit perfectly along the lengths of baths and into the dead space that has gone unutilised for so long. Plus, they hold more towels!

## Product Specifications

Material	Steel
Standard Colours	White, Chrome and RAL colours
Delivery	3—5 working days in White
Guarantee	5 Years
Outputs	316 - 1094 watts @ $\Delta t$ 50°C



## **Head Office**

The Radiator Centre, 7 Holywell Hill, St Albans, AL1 1EU

**Tel: 01727 840344**

Product Code	Height (mm)	Width (mm)	Depth / Projection (mm)	Output : Watts @ T50 degrees	Output : BTU @ T50 degrees
POLL4610W	460	1000	132-140	493	1682
POLL4612W	460	1200	132-140	591	2016
POLL4614W	460	1400	132-140	690	2354
POLL5410W	540	1000	132-140	591	2016
POLL5412W	540	1200	132-140	709	2419
POLL5414W	540	1400	132-140	827	2822
POLL6610W	660	1000	132-140	738	2518
POLL6612W	660	1200	132-140	886	3023
POLL6614W	660	1400	132-140	1034	3528
POLL5345W	530	450	135-140	302	1030
POLL5350W	530	500	135-140	336	1146
POLL5360W	530	600	135-140	403	1375
POLL5370W	530	700	135-140	459	1566
POLL1045W	1055	450	135-140	605	2064
POLL1050W	1055	500	135-140	676	2307
POLL1060W	1055	600	135-140	802	2736
POLL1070W	1055	700	135-140	905	3088
POLL1450W	1480	500	135-140	941	3211
POLL1460W	1480	600	135-140	1086	3705
POLL1470W	1480	700	135-140	1260	4299
POLL1480W	1480	800	135-140	1439	4910

The Radiator Centre reserves the right to alter design, specifications and prices without prior notice. All prices shown exclude VAT. All sales are subject to our standard Terms and Conditions which can be found on [www.theradiatorcentre.com](http://www.theradiatorcentre.com)

All heat outputs are shown at an operating temperatures of 75/65/20 ( $\Delta t50^\circ$ ). To recalculate to show at 90/70/20 ( $\Delta t60^\circ$ ) multiply by 1.264.

All radiators will be supplied with the necessary fixture and fittings - brackets, air vents, etc. Valves are not included in the prices quoted above.

#### Head Office

The Radiator Centre, 7 Holywell Hill, St Albans, AL1 1EU

Tel: 01727 840344

Product Code	Height (mm)	Width (mm)	Depth / Projection (mm)	Output : Watts @ T50 degrees	Output : BTU @ T50 degrees
POLL4610W	460	1000	132-140	493	1682
POLL4612W	460	1200	132-140	591	2016
POLL4614W	460	1400	132-140	690	2354
POLL5410W	540	1000	132-140	591	2016
POLL5412W	540	1200	132-140	709	2419
POLL5414W	540	1400	132-140	827	2822
POLL6610W	660	1000	132-140	738	2518
POLL6612W	660	1200	132-140	886	3023
POLL6614W	660	1400	132-140	1034	3528
POLL5345W	530	450	135-140	302	1030
POLL5350W	530	500	135-140	336	1146
POLL5360W	530	600	135-140	403	1375
POLL5370W	530	700	135-140	459	1566
POLL1045W	1055	450	135-140	605	2064
POLL1050W	1055	500	135-140	676	2307
POLL1060W	1055	600	135-140	802	2736
POLL1070W	1055	700	135-140	905	3088
POLL1450W	1480	500	135-140	941	3211
POLL1460W	1480	600	135-140	1086	3705
POLL1470W	1480	700	135-140	1260	4299
POLL1480W	1480	800	135-140	1439	4910

The Radiator Centre reserves the right to alter design, specifications and prices without prior notice. All prices shown exclude VAT. All sales are subject to our standard Terms and Conditions which can be found on [www.theradiatorcentre.com](http://www.theradiatorcentre.com)

All heat outputs are shown at an operating temperatures of 75/65/20 ( $\Delta t50^\circ$ ). To recalculate to show at 90/70/20 ( $\Delta t60^\circ$ ) multiply by 1.264.

All radiators will be supplied with the necessary fixture and fittings - brackets, air vents, etc. Valves are not included in the prices quoted above.

#### Head Office

The Radiator Centre, 7 Holywell Hill, St Albans, AL1 1EU

Tel: 01727 840344

Product Code	Height (mm)	Width (mm)	Depth / Projection (mm)	Output : Watts @ T50 degrees	Output : BTU @ T50 degrees
POLL4610W	460	1000	132-140	345	1177
POLL4612W	460	1200	132-140	414	1413
POLL4614W	460	1400	132-140	483	1648
POLL5410W	540	1000	132-140	414	1413
POLL5412W	540	1200	132-140	496	1692
POLL5414W	540	1400	132-140	579	1976
POLL6610W	660	1000	132-140	517	1764
POLL6612W	660	1200	132-140	620	2115
POLL6614W	660	1400	132-140	724	2470
POLL5345W	530	450	135-140	149	508
POLL5360W	530	600	135-140	190	648
POLL7850C	780	500	135-140	388	1324
POLL7860C	780	600	135-140	452	1542
POLL1045W	1055	450	135-140	335	1143
POLL1070W	1055	700	135-140	486	1658
POLL1150C	1180	500	135-140	631	2153
POLL1160C	1180	600	135-140	725	2474

The Radiator Centre reserves the right to alter design, specifications and prices without prior notice. All prices shown exclude VAT. All sales are subject to our standard Terms and Conditions which can be found on [www.theradiatorcentre.com](http://www.theradiatorcentre.com)

All heat outputs are shown at an operating temperatures of 75/65/20 ( $\Delta t_{50}^{\circ}$ ). To recalculate to show at 90/70/20 ( $\Delta t_{60}^{\circ}$ ) multiply by 1.264.

All radiators will be supplied with the necessary fixture and fittings - brackets, air vents, etc. Valves are not included in the prices quoted above.

#### Head Office

The Radiator Centre, 7 Holywell Hill, St Albans, AL1 1EU

Tel: 01727 840344